



Árlista 2009

**Split
Multi Split
Sky Air**

Mono Split Systems R-410A

Wall mounted units		
H/P Inverter Ururu Sarara	FTXR with RXR	4
H/P Inverter prestige	FTXG with RXG	4
H/P Inverter optimized for heating	FTXL with RXL	5
C/O Inverter professional	FTXS with RKS	6
C/O Non-Inverter	FAQ with RR	6
H/P Inverter professional	FTXS with RXS	7
H/P Inverter professional	FAQ with RZQ	7
H/P Inverter comfort	FAQ with RZQS	7
C/O Inverter comfort	FTK with RK	8
H/P Inverter comfort	FTX with RX	9
Floor standing units		
C/O Inverter professional	FVXS with RKS	10
H/P Inverter professional	FVXS with RXS	11
Flexi type units		
C/O Inverter professional	FLKS with RKS	10
H/P Inverter professional	FLXS with RXS	11
One way blow ceiling suspended units		
C/O Inverter professional	FHQ with RKS	14
C/O Non-Inverter	FHQ with RR	12
H/P Inverter professional	FHQ with RXS	15
H/P Inverter professional	FHQ with RZQ	15
H/P Inverter comfort	FHQ with RZQS	15
H/P Non-Inverter	FHQ with REQ	13
Four way blow ceiling suspended cassette		
C/O Non-Inverter	FUQ with RR	16
H/P Inverter professional	FUQ with RZQ	17
Cassette units		
C/O Inverter professional	FCQ with RKS	20
C/O Non-Inverter	FCQ with RR	18
H/P Inverter professional	FCQ with RXS	21
H/P Inverter professional	FCQ with RZQ	21
H/P Inverter comfort	FCQ with RZQS	21
H/P Non-Inverter	FCQ with REQ	19
Cassette 600 x 600 units		
C/O Inverter professional	FFQ with RKS	22
H/P Inverter professional	FFQ with RXS	23
Built-in units		
C/O Inverter professional / Multi-only	FDKS/FDBQ with RKS	24
H/P Inverter professional / Multi-only	FDXS/FDBQ with RXS	25
C/O Non-Inverter	FDQ/FBQ with RR	26
H/P Non-Inverter	FBQ with REQ	27
C/O Inverter professional	FBQ with RKS	28
H/P Inverter professional	FBQ with RXS	29
H/P Inverter professional	FBQ with RZQ	29
H/P Inverter comfort	FBQ with RZQS	29
H/P Inverter professional	FDQ with RZQ	30
H/P Inverter comfort	FDQ with RZQS	30
H/P Non-Inverter	FDEQ with REQ	31
Cassette units high efficiency		
H/P Inverter professional	FCQH with RZQ	32
H/P Inverter comfort	FCQH with RZQS	32

Heat Reclaim Ventilation

VAM	33
-----	----

Air Purifier

MCK75JVM-K	33
MC707VM-W/S	33

Multi Split Systems R-410A

H/P Inverter Ururu Multi	2MXU with CTXU/CVXU	34
C/O Inverter Multi Split	MKS	36
H/P Inverter Multi Split	MXS	37
H/P Inverter Super-Multi-Plus	RMXS	38
H/P Inverter Commercial Multi Split	CMS	39

Twin/Triple/Double-Twin R-410A

Outdoor units Twin/Triple/Double Twin	40
Applicable indoors, combination table, refnet joints	41

Mono/Twin/Triple Systems R-407C

Built-in units

C/O Non-Inverter	FHYP/FDYP/FHYBP with RP	42
H/P Non-Inverter	FHYP/FDYP/FHYBP with RYP	43

Remarks

- 1.) The pricelist is valid from 1. April 2009.
All prior pricelists are not valid anymore.
- 2.) All prices are list prices / all prices excl. VAT
- 3.) We reserve the right for printing errors and model changes
- 4.) * data not available at date of printing

Wall mounted units Mono Split Systems Heat pump

Ururu Sarara



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller		FTXR28E	FTXR42E	FTXR50E
Controller – wireless		inclusive	inclusive	inclusive
Price	HUF	132.750	157.235	227.445
Weight	kg	14		
Dimensions	height	305		
	width	890		
	depth	209		

Wiring adaptor for remote on/off		KRP413A1S
Price	HUF	53.690
Interface adaptor for DIII-Net use		KRP928A2S
Price	HUF	73.160

Outdoor unit

Heat pump Operation range unit RXR: Heating -20 °C to +18 °C / Cooling -10 °C to +43 °C

Type		230V / 1~ / 50Hz	RXR28E	RXR42E	RXR50E
Cooling capacity	min./nominal/max. kW		1,55/2,8/3,6	1,55/4,2/4,6	1,55/5,0/5,5
Heating capacity	min./nominal/max. kW		1,3/3,6/5,0	1,3/5,1/5,6	1,3/6,0/6,2
Price	HUF		267.565	313.585	421.850
Weight	kg		48		
Dimensions	height		693		
	width		795		
	depth		285		

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	400.315	470.820	649.295
--	------------	----------------	----------------	----------------

Wall mounted units Mono Split Systems Heat pump

Prestige



R-410A

Indoor unit with infrared remote controller		FTXG25E-W	FTXG25E-S	FTXG35E-W	FTXG35E-S	CTXG50E-W	CTXG50E-S
Colour		white	silver	white	silver	white	silver
Controller - wireless		inclusive					
Price	HUF	109.445		130.095		161.955	
Weight	kg			9			
Dimensions	height			275			
	width			840			
	depth			150			

Wiring adaptor for remote on/off		KRP413A1S
Price	HUF	53.690
Interface adaptor for DIII-Net use		KRP928A2S
Price	HUF	73.160

Outdoor unit

Heat pump Operation range unit RXG: Heating -15 °C to +20 °C / Cooling +10 °C to +46 °C

Type		230V / 1~ / 50Hz	RXG25E	RXG35E	–
Cooling capacity	min./nominal/max. kW		1,3/2,5/3,0	1,4/3,5/3,8	–
Heating capacity	min./nominal/max. kW		1,3/3,4/4,5	1,4/4,2/5,0	–
Price	HUF		208.270	243.670	–
Weight	kg		32		–
Dimensions	height		550		–
	width		765		–
	depth		285		–

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	317.715	373.765	Multi combination only
--	------------	----------------	----------------	------------------------

Az árlistában szereplő árak nettó Forint listaárak, az ÁFA-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Wall mounted units Mono Split Systems Heat pump Optimized for heating



DAIKIN
Air Conditioning

NEW

R-410A

Indoor unit with infrared remote controller			FTXL20G	FTXL25G	FTXL35G
Controller – wireless			inclusive	inclusive	inclusive
Price	HUF		103.250	112.100	132.750
Weight	kg			10	
Dimensions	height	mm		295	
	width	mm		800	
	depth	mm		215	

Wired remote controller			BRC944
Price	HUF		28.615
Wiring adaptor for remote on/off			KRP413A1S
Price	HUF		53.690
Interface adapter for DIII-Net use			KRP928A2S
Price	HUF		73.160

NEW

Outdoor unit

Heat pump Operation range unit RXL20/25/35G: Heating: -20 °C to +20 °C / Cooling: -10 °C to +46 °C

Type		230V / 1~ / 50Hz	RXL20G	RXL25G	RXL35G
Cooling capacity	nominal	kW	2	2,5	3,5
Heating capacity	nominal	kW	2,7	3,4	4
Price	HUF		198.535	215.645	252.815
Weight	kg		34	39	48
Dimensions	height	mm		550	735
	width	mm		765	825
	depth	mm		285	300

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	301.785	327.745	385.565
--	------------	----------------	----------------	----------------

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/FUIR árfólvammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Wall mounted units Mono Split Systems Cooling only

Professional



DAIKIN

Air Conditioning

R-410A

Indoor unit with infrared remote controller			FTXS20G	FTXS25G	FTXS35G	FTXS42G	FTXS50G	FTKS60F	FTKS71F	FAQ71B.IR	FAQ100B.IR	
Indoor unit			FTXS20G	FTXS25G	FTXS35G	FTXS42G	FTXS50G	FTKS60F	FTKS71F	FAQ71B	FAQ100B	
Controller – wireless			inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	BRC7EA618	BRC7CA510W	
Price	HUF		89.975	97.645	115.345	138.650	167.265	192.340	221.545	246.030	260.190	
Indoor unit with wired remote controller											FAQ71B.WR	FAQ100B.WR
Indoor unit											FAQ71B	FAQ100B
Controller – wired											BRC1D52	BRC1D52
Price	HUF										184.080	198.240
Weight	kg		9			10		12		13	26	
Dimensions	height	mm	295				290		290	360		
	width	mm	800				1050		1050	1570		
	depth	mm	215				238		230	200		

Wiring adaptor for remote on/off			KRP413A1S				KRP4A51				
Price	HUF		53.690				46.020				
Interface adaptor F1/F2			KRP928A2S					DTA112B51			
Price	HUF		73.160					51.330			
Wired remote Controller*			BRC944								
Price	HUF		28.615								
Cable for BRC944 assembly	3 m		BRCW901A03								
Price	HUF		5.605								
Cable for BRC944 assembly	8 m		BRCW901A08								
Price	HUF		8.850								

BRC944 is combinable with FTXS-G, FTK/XS-F, FDK/XS-C/E, FTK/X-G

* Please note that the „swing function“ of FTXS-G can not be activated with this controller.

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15°C (by modified setting)

Type	230V / 1~ / 50Hz	RKS20G	RKS25G	RKS35G	RKS42G	RKS50G	RKS60F	RKS71F	–	–
Cooling capacity	min./nominal/max. kW	1,3/2,0/2,8	1,3/2,5/3,2	1,4/3,5/4,0	1,7/4,2/5,0	1,7/5,0/5,3	1,7/6,0/6,7	2,3/7,1/8,5	–	–
Price	HUF	156.350	170.215	199.125	238.950	259.010	297.655	342.495	–	–
Weight	kg	32	34	34	39	47	47	71	–	–
Dimensions	height	550				735	735	770	–	–
	width	765				825	825	900	–	–
	depth	285				300	300	320	–	–

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	246.325	267.860	314.470	377.600	426.275	489.995	564.040	–	–
--	------------	---------	---------	---------	---------	---------	---------	---------	---	---

Outdoor unit Non-Inverter

Cooling only Operation range unit RR: Cooling: -15 °C to +46 °C

Type	230V / 1~ / 50Hz	RR71BV3	RR100BV3
Type	400V / 3N~ / 50Hz	RR71BW1	RR100BW1
Cooling capacity	nominal kW	7,1	10
Price	HUF	354.000	447.515
Weight (BV3 / BW1)	kg	83 / 81	102 / 99
Dimensions	height	770	1170
	width	900	900
	depth	320	320

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	–	600.030	707.705
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	–	538.080	645.755

Az árlistában szereplő árak nettó Forint listaárak, az ÁFA-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Wall mounted units Mono Split Systems Heat pump

Professional



DAIKIN

Air Conditioning

R-410A

Indoor unit with infrared remote controller			FTXS20G	FTXS25G	FTXS35G	FTXS42G	FTXS50G	FTXS60F	FTXS71F	FAQ71B.IR	FAQ100B.IR	
Indoor unit			FTXS20G	FTXS25G	FTXS35G	FTXS42G	FTXS50G	FTXS60F	FTXS71F	FAQ71B	FAQ100B	
Controller – wireless			inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	BRC7E618	BRC7C510	
Price	HUF		89.975	97.645	115.345	138.650	167.265	199.420	229.510	246.030	260.190	
Indoor unit with wired remote controller											FAQ71B.WR	FAQ100B.WR
Indoor unit											FAQ71B	FAQ100B
Controller – wired											BRC1D52	BRC1D52
Price	HUF										184.080	198.240
Weight	kg		9		10			12		13	26	
Dimensions	height	mm	295			290			290	360		
	width	mm	800			1050			1050	1570		
	depth	mm	215			238			230	200		

Wiring adaptor for remote on/off		KRP413A1S	KRP4A53
Price	HUF	53.690	46.020
Interface adaptor for DIII-Net use		KRP928A2S	DTA112B51
Price	HUF	73.160	51.330
Wired remote controller		BRC944	
Price	HUF	28.615	

NEW

Outdoor unit **INVERTER**

Super Inverter

Heat pump

Operation range unit RXS-G: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Operation range unit RXS-F: Heating: -15 °C to +18 °C / Cooling: -10 °C to +46 °C

Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz	RXS20G	RXS25G	RXS35G	RXS42G	RXS50G	RXS60F	RXS71F	RZQ71DV	RZQ100DV
Type	400V / 3N~ / 50Hz								–	RZQ100BW1
Cooling capacity	min./nominal/max. kW	1,3/2,0/2,8	1,3/2,5/3,2	1,4/3,5/4,0	1,7/4,2/5,0	1,7/5,0/5,3	1,7/6,0/6,7	2,3/7,1/8,5	*7,1/*	*10,0/*
Heating capacity	min./nominal/max. kW	1,3/2,7/4,3	1,3/3,4/4,7	1,4/4,0/5,2	1,7/5,4/6,0	1,7/5,8/6,5	1,7/7,0/8,0	2,3/8,2/10,2	*8,0/*	*11,2/*
Price	230V / 1~ / 50Hz HUF	172.575	187.620	219.775	263.730	285.560	328.335	377.600	550.765	690.890
Price	400V / 3N~ / 50Hz HUF									699.150
Weight (DV1 / BW1)	kg	32	34	34	39	48	71	67	109 / 106	
Dimensions	height (DV1 / BW1)	550			735		770	770	1345	
	width	765			825		900	900	900	
	depth	285			300		320	320	320	

Price for set of indoor unit with infrared remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	262.550	285.265	335.120	402.380	452.825	527.755	607.110	796.795	951.080
Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF								734.845	889.130
Price for set of indoor unit with infrared remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF									959.340
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF									897.390

NEW

Outdoor unit **Comfort Inverter**

Comfort Inverter

Heat pump

Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz	RZQS71DV1	RZQS100DV1
Cooling capacity	min./nominal/max. kW	*7,1/*	*10/*
Heating capacity	min./nominal/max. kW	*8,0/*	*11,2/*
Price	HUF	468.460	587.345
Weight	kg	68	103
Dimensions	height	770	1170
	width	900	
	depth	320	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF			714.490	847.535
Price for set of indoor unit with wired remote controller and outdoor unit	HUF			652.540	785.585

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/FUIR árfólvammal visszavonásán érvényesek.

KLÍMATECHNIKA

 Y Klimatechnika
 Tel.: 20/434-44-44, 76/325-111
 www.yklima.hu; e-mail: yklima@yklima.hu

Wall mounted units Mono Split Systems Cooling only

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FTK20GV	FTK25GV	FTK35GV
Controller - wireless			inclusive	inclusive	inclusive
Price	HUF		79.945	87.025	103.250
Weight		kg	7		
Dimensions	height	mm	283		
	width	mm	770		
	depth	mm	198		

Interface adaptor for connecting of optional PCB's			KRP980A1		
Price	HUF		27.730		
Wiring adaptor for remote on/off			KRP413A1S		
Price	HUF		53.690		
Interface adaptor for DIII-Net use			KRP928A2S		
Price	HUF		73.160		

Remark: KRP980B1 is required if KRP413AA1S or KRP928BA25 need to be connected to the indoor unit!

Outdoor unit

Cooling only Operation range unit RK: Cooling: +10 °C to +46 °C

Type		230V / 1~ / 50Hz	RK20GV	RK25GV	RK35GV
Cooling capacity	min./nominal/max.	kW	1,3/2,0/2,6	1,3/2,5/3,0	1,3/3,2/3,8
Price	HUF		87.615	95.285	111.215
Weight		kg	28		30
Dimensions	height	mm	550		
	width	mm	658		
	depth	mm	275		

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	167.560	182.310	214.465
--	------------	----------------	----------------	----------------

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Wall mounted units Mono Split Systems Heat pump

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FTX20GV	FTX25GV	FTX35GV
Controller – wireless			inclusive	inclusive	inclusive
Price	HUF		83.190	90.270	106.790
Weight		kg	7		
Dimensions	height	mm	283		
	width	mm	770		
	depth	mm	198		

Interface adaptor for connecting of optional PCB's			KRP980A1		
Price	HUF		27.730		
Wiring adaptor for remote on/off			KRP413A1S		
Price	HUF		53.690		
Interface adaptor F1/F2			KRP928A2S		
Price	HUF		73.160		

Remark: KRP980B1 is required if KRP413AA1S or KRP928BA2S need to be connected to the indoor unit!

Outdoor unit

Heat pump Operation range unit RX: Heating -15 °C to +20 °C / Cooling +10 °C to +46 °C

Type		230V / 1~ / 50Hz	RX20GV	RX25GV	RX35GV
Cooling capacity	min./nominal/max.	kW	1,3/2,0/2,6	1,3/2,5/3,0	1,3/3,2/3,8
Heating capacity	min./nominal/max.	kW	1,3/2,5/3,5	1,3/2,8/4,0	1,3/3,4/4,8
Price	HUF		102.660	111.510	130.685
Weight		kg	28		30
Dimensions	height	mm	550		
	width	mm	658		
	depth	mm	275		

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	185.850	201.780	237.475
--	------------	----------------	----------------	----------------

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/FUIR árfólvammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Floor standing units Mono Split Systems Cooling only

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller		FVXS25F	FVXS35F	FVXS50F
Controller – wireless		inclusive	inclusive	inclusive
Price	HUF	120.655	142.780	206.795
Weight	kg	14		
Dimensions	height	600		
	width	700		
	depth	210		

Wiring adaptor for remote on/off		KRP413A1S		
Price	HUF	53.690		
Interface adaptor for DIII-Net use		KRP928A2S		
Price	HUF	73.160		

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15 °C (by modified setting)

Type		230V / 1~ / 50Hz	RKS25G	RKS35G	RKS50G
Cooling capacity	min./nominal/max. kW		1,3/2,5/3,0	1,4/3,5/3,8	1,4/5,0/5,6
Price	HUF		170.215	199.125	259.010
Weight	kg		34		47
Dimensions	height	mm	550		735
	width	mm	765		825
	depth	mm	285		300

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	290.870	341.905	465.805
--	------------	----------------	----------------	----------------

Flexi type units Mono Split Systems Cooling only

Professional



R-410A

Indoor unit with infrared remote controller		FLKS25B	FLKS35B	FLKS50B	FLKS60B
Controller – wireless		inclusive	inclusive	inclusive	inclusive
Price	HUF	102.955	122.130	176.705	221.545
Weight	kg	16		17	
Dimensions	height			490	
	width			1050	
	depth			200	

Wiring adaptor for remote on/off		KRP413A1S			
Price	HUF	53.690			
Interface adaptor for DIII-Net use		KRP928A2S			
Price	HUF	73.160			

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15 °C (by modified setting)

Type		230V / 1~ / 50Hz	RKS25G	RKS35G	RKS50G	Only Multi combinations
Cooling capacity	min./nominal/max. kW		1,2/2,5/3,0	1,2/3,5/3,8	0,9/4,9/5,3	
Price	HUF		170.215	199.125	259.010	
Weight	kg		34		47	
Dimensions	height	mm	550		735	
	width	mm	765		825	
	depth	mm	285		300	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	273.170	321.255	435.715	Only Multi combinations
--	------------	----------------	----------------	----------------	-------------------------

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Floor standing units Mono Split Systems Heat pump

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FVXS25F	FVXS35F	FVXS50F
Controller – wireless			inclusive	inclusive	inclusive
Price	HUF		120.655	142.780	206.795
Weight		kg	14		
Dimensions	height	mm	600		
	width	mm	700		
	depth	mm	210		

Wiring adaptor for remote on/off			KRP413A1S		
Price	HUF		53.690		
Interface adaptor for DIII-Net use			KRP928A2S		
Price	HUF		73.160		

Outdoor unit

Heat pump Operation range unit RXS: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Type	230V / 1~ / 50Hz		RXS25G	RXS35G	RXS50G
Cooling capacity	min./nominal/max.	kW	1,3/2,5/3,0	1,4/3,5/3,8	1,4/5,0/5,6
Heating capacity	min./nominal/max.	kW	1,3/3,4/4,5	1,3/4,5/5,0	1,4/5,8/8,1
Price	HUF		187.620	219.775	285.560
Weight		kg	34		48
Dimensions	height	mm	550		735
	width	mm	765		825
	depth	mm	285		300

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	308.275	362.555	492.355
--	------------	----------------	----------------	----------------

Flexi type units Mono Split Systems Heat Pump

Professional



R-410A

Indoor unit with infrared remote controller			FLXS25B	FLXS35B	FLXS50B	FLXS60B
Controller – wireless			inclusive	inclusive	inclusive	inclusive
Price	HUF		115.345	136.880	197.945	247.505
Weight		kg	16		17	
Dimensions	height	mm	490			
	width	mm	1050			
	depth	mm	200			

Wiring adaptor for remote on/off			KRP413A1S			
Price	HUF		53.690			
Interface adaptor for DIII-Net use			KRP928A2S			
Price	HUF		73.160			

Outdoor unit

Heat pump Operation range unit RXS: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Type	230V / 1~ / 50Hz		RXS25G	RXS35G	RXS50G	Only Multi combinations
Cooling capacity	min./nominal/max.	kW	1,2/2,5/3,0	1,2/3,5/3,8	0,9/4,9/5,3	
Heating capacity	min./nominal/max.	kW	1,2/3,4/4,5	1,2/4,0/5,0	0,9/6,1/7,5	
Price	HUF		187.620	219.775	285.560	
Weight		kg	34		48	
Dimensions	height	mm	550		735	
	width	mm	765		825	
	depth	mm	285		300	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	302.965	356.655	483.505	Only Multi combinations
--	------------	----------------	----------------	----------------	-------------------------

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/FUIR árfólvammal visszavonásán érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

One way blow ceiling suspended units Mono Split Systems Cooling only

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FHQ35B.IR	FHQ50B.IR	FHQ60B.IR	FHQ71B.IR	FHQ100B.IR	FHQ125B.IR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wireless			BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63
Price	HUF		358.720	365.505	397.660	422.145	466.100	495.895
Indoor unit with wired remote controller			FHQ35B.WR	FHQ50B.WR	FHQ60B.WR	FHQ71B.WR	FHQ100B.WR	FHQ125B.WR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		296.770	303.555	335.710	360.195	404.150	433.945
Weight	kg		24	25	27		32	35
Dimensions	height	mm	195					
	width	mm	960		1160		1400	1590
	depth	mm	680					

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

Outdoor unit Non-Inverter

Cooling only Operation range unit RR: Cooling: -15 °C to +46 °C

Type	230V / 1~ / 50Hz	–	RR71BV3	RR100BV3	–
Type	400V / 3N~ / 50Hz	–	RR71BW1	RR100BW1	RR125BW1
Cooling capacity	nominal	kW	7,1	9,8	12,2
Price	HUF	–	354.000	447.515	487.045
Weight (BV3 / BW1)	kg	–	83 / 81	102 / 99	106
Dimensions	height	mm	770		
	width	mm	–		
	depth	mm	–		

Price for set of Indoor unit with infrared remote controller and Outdoor unit	HUF	–	776.145	913.615	982.940
Price for set of Indoor unit with wired remote controller and Outdoor unit	HUF	–	714.195	851.665	920.990

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

One way blow ceiling suspended units Mono Split Systems Heat pump

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FHQ35B.IR	FHQ50B.IR	FHQ60B.IR	FHQ71B.IR	FHQ100B.IR	FHQ125B.IR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wireless			BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63
Price	HUF		358.720	365.505	397.660	422.145	466.100	495.895
Indoor unit with wired remote controller			FHQ35B.WR	FHQ50B.WR	FHQ60B.WR	FHQ71B.WR	FHQ100B.WR	FHQ125B.WR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		296.770	303.555	335.710	360.195	404.150	433.945
Weight	kg		24	25	27		32	35
Dimensions	height	mm	195					
	width	mm	960		1160		1400	1590
	depth	mm	680					

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

Outdoor unit Non-Inverter

Heat pump Operation range unit REQ: Heating: -10 °C to +15 °C / Cooling: +10 °C to +46 °C

Type	230V / 1~ / 50Hz	–	REQ71BV3	REQ100BV3	–
Type	400V / 3N~ / 50Hz	–	REQ71BW1	REQ100BW1	REQ125BW1
Cooling capacity	nominal kW	–	7,1	9,8	12,2
Heating capacity	nominal kW	–	8,0	11,2	14,5
Price	HUF	–	249.865	313.290	338.365
Weight (BV3 / BW1)	kg	–	83	102 / 100	108
Dimensions	height	mm	770	1170	
	width	mm	–	900	
	depth	mm	–	320	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	–	672.010	779.390	834.260
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	–	610.060	717.440	772.310

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/FUIR árfólvammal visszavonásán érvényesek.

One way blow ceiling suspended units Mono Split Systems Cooling only

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FHQ35B.IR	FHQ50B.IR	FHQ60B.IR	FHQ71B.IR	FHQ100B.IR	FHQ125B.IR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wireless			BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63
Price	HUF		358.720	365.505	397.660	422.145	466.100	495.895
Indoor unit with wired remote controller			FHQ35B.WR	FHQ50B.WR	FHQ60B.WR	FHQ71B.WR	FHQ100B.WR	FHQ125B.WR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		296.770	303.555	335.710	360.195	404.150	433.945
Weight	kg		24	25	27		32	35
Dimensions	height	mm	195					
	width	mm	960		1160		1400	1590
	depth	mm	680					

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15 °C (by modified setting)

Type	230V / 1~ / 50Hz	RKS35G	RKS50G	RKS60F	–
Cooling capacity	min./nominal/max. kW	1,4/3,4/3,7	1,7/5,0/5,6	1,7/5,7/6,0	–
Price	HUF	199.125	259.010	297.655	–
Weight	kg	34	47	47	–
Dimensions	height	mm	550		735
	width	mm	765		825
	depth	mm	285		300

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	557.845	624.515	695.315	–
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	495.895	562.565	633.365	–

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

One way blow ceiling suspended units Mono Split Systems Heat pump

Professional



DAIKIN

Air Conditioning

R-410A

Indoor unit with infrared remote controller			FHQ35B.IR	FHQ50B.IR	FHQ60B.IR	FHQ71B.IR	FHQ100B.IR	FHQ125B.IR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wireless			BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63	BRC7E63
Price	HUF		358.720	365.505	397.660	422.145	466.100	495.895
Indoor unit with wired remote controller			FHQ35B.WR	FHQ50B.WR	FHQ60B.WR	FHQ71B.WR	FHQ100B.WR	FHQ125B.WR
Indoor unit			FHQ35B	FHQ50B	FHQ60B	FHQ71B	FHQ100B	FHQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		296.770	303.555	335.710	360.195	404.150	433.945
Weight	kg		24	25	27		32	35
Dimensions	height	mm				195		
	width	mm	960			1160	1400	1590
	depth	mm				680		

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

NEW

Outdoor unit **INVERTER**

Super Inverter

Heat pump

Operation range unit RXS-G: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Operation range unit RXS-F: Heating: -15 °C to +18 °C / Cooling: -10 °C to +46 °C

Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz	RXS35G	RXS50G	RXS60F	RZQ71DV	RZQ100DV	RZQ125DV
Type	400V / 3N~ / 50Hz	-				RZQ100BW1	RZQ125BW1
Cooling capacity	min./nominal/max. kW	1,4/3,4/3,7	1,7/5,0/5,6	1,7/5,7/6,0	*7,1/*	*10,0/*	*12,5/*
Heating capacity	min./nominal/max. kW	1,2/4,0/5,0	1,7/6,0/7,0	1,7/7,2/8,0	*8,0/*	*11,2/*	*14,0/*
Price	230V / 1~ / 50Hz HUF	219.775	285.560	328.335	550.765	690.890	746.940
Price	400V / 3N~ / 50Hz HUF	-				699.150	743.105
Weight (DV1 / BW1)	kg	34	48		67	109 / 106	109 / 106
Dimensions (DV1 / BW1)	height	mm	550	735	770	1345	
	width	mm	765	825		900	
	depth	mm	285	300		320	

Price for set of indoor unit with infrared remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	578.495	651.065	725.995	972.910	1.156.990	1.242.835
Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	516.545	589.115	664.045	910.960	1.095.040	1.180.885
Price for set of indoor unit with infrared remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF		-			1.165.250	1.239.000
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF		-			1.103.300	1.177.050

NEW

Outdoor unit

Comfort Inverter

Heat pump

Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz		RZQS71DV1	RZQS100DV1	RZQS125DV1
Cooling capacity	min./nominal/max. kW		*7,1/*	*10,0/*	*12,5/*
Heating capacity	min./nominal/max. kW		*8,0/*	*11,2/*	*14,0/*
Price	HUF		468.460	587.345	635.725
Weight	kg		68	103	
Dimensions	height	mm	770	1170	
	width	mm		900	
	depth	mm		320	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF		890.605	1.053.445	1.131.620
Price for set of indoor unit with wired remote controller and outdoor unit	HUF		828.655	991.495	1.069.670

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásán érvényesek.

KLÍMATECHNIKA

 Y Klimatechnika
 Tel.: 20/434-44-44, 76/325-111
 www.yklima.hu; e-mail: yklima@yklima.hu

Four way blow ceiling suspended cassette Mono Split Systems Cooling only

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FUQ71B.IR	FUQ100B.IR	FUQ125B.IR
Indoor unit			FUQ71B	FUQ100B	FUQ125B
Controller – wireless			BRC7C528	BRC7C528	BRC7C528
Price	HUF		477.900	566.400	616.845
Indoor unit with wired remote controller			FUQ71B.WR	FUQ100B.WR	FUQ125B.WR
Indoor unit			FUQ71B	FUQ100B	FUQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52
Price	HUF		415.360	503.860	554.305
Weight	kg		25	31	
Dimensions	height	mm	165	230	
	width	mm		895	
	depth	mm		895	

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

Outdoor unit Non-Inverter

Cooling only Operation range unit RR: Cooling: -15 °C to +46 °C

Type	230V / 1~ / 50Hz	RR71BV3	RR100BV3	–	
Type	400V / 3N~ / 50Hz	RR71BW1	RR100BW1	RR125BW1	
Cooling capacity	nominal	kW	7,1	10,0	12,2
Price	HUF	354.000	447.515	487.045	
Weight (BV3 / BW1)	kg	83 / 81	102 / 99	106	
Dimensions	height	mm	770	1170	
	width	mm		900	
	depth	mm		320	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	831.900	1.013.915	1.103.890
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	769.360	951.375	1.041.350

Four way blow ceiling suspended cassette Mono Split Systems Heat pump Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FUQ71B.IR	FUQ100B.IR	FUQ125B.IR
Indoor unit			FUQ71B	FUQ100B	FUQ125B
Controller – wireless			BRC7C528	BRC7C528	BRC7C528
Price	HUF		477.900	566.400	616.845
Indoor unit with wired remote controller			FUQ71B.WR	FUQ100B.WR	FUQ125B.WR
Indoor unit			FUQ71B	FUQ100B	FUQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52
Price	HUF		415.360	503.860	554.305
Weight	kg		25		31
Dimensions	height	mm	165		230
	width	mm		895	
	depth	mm		895	

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

NEW

Outdoor unit

Super Inverter

Heat pump

Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz		RZQ71DV	RZQ100DV	RZQ125DV
Type	400V / 3N~ / 50Hz		–	RZQ100BW1	RZQ125BW1
Cooling capacity	min./nominal/max.	kW	*/7,1/*	*/10,0/*	*/12,5/*
Heating capacity	min./nominal/max.	kW	*/8,0/*	*/11,2/*	*/14,0/*
Price	230V / 1~ / 50Hz	HUF	550.765	690.890	746.940
Price	400V / 3N~ / 50Hz	HUF	–	699.150	743.105
Weight (DV1 / BW1)		kg	67	109 / 106	109 / 106
Dimensions (DV1 / BW1)	height	mm	770		1345
	width	mm		900	
	depth	mm		320	

Price for set of indoor unit with infrared remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	1.028.665	1.257.290	1.363.785
Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	966.125	1.194.750	1.301.245
Price for set of indoor unit with infrared remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF	–	1.265.550	1.359.950
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF	–	1.203.010	1.297.410

Cassette units Mono Split Systems Cooling only

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller		FCQ35C.IR	FCQ50C.IR	FCQ60C.IR	FCQ71C.IR	FCQ100C.IR	FCQ125C.IR
Indoor unit		FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C
Decoration panel		BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wireless		BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F
Price	HUF	292.050	300.310	306.800	315.355	394.710	484.390
Indoor unit with wired remote controller		FCQ35C.WR	FCQ50C.WR	FCQ60C.WR	FCQ71C.WR	FCQ100C.WR	FCQ125C.WR
Indoor unit		FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C
Decoration panel		BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	287.920	296.180	302.670	311.225	390.580	480.260
Weight	kg	19			21	23	
Dimensions	height	204			246		
	width				840		
	depth				840		

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020

Outdoor unit Non-Inverter

Cooling only Operation range unit RR: Cooling: -15 °C to +46 °C

Type	230V / 1~ / 50Hz	–	RR71BV3	RR100BV3	–	
Type	400V / 3N~ / 50Hz	–	RR71BW1	RR100BW1	RR125BW1	
Cooling capacity	nominal	kW	7,1	10	12,5	
Price	HUF	–	354.000	447.515	487.045	
Weight (BV3 / BW1)	kg	–	83 / 81	102 / 99	106	
Dimensions	height	mm	770			1170
	width	mm	–			900
	depth	mm	–			320

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	–	669.355	842.225	971.435
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	–	665.225	838.095	967.305


Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Cassette units Mono Split Systems Heat pump

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FCQ35C.IR	FCQ50C.IR	FCQ60C.IR	FCQ71C.IR	FCQ100C.IR	FCQ125C.IR	FCQ140C.IR
Indoor unit			FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C	FCQ140C
Decoration panel			BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wireless			BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F
Price	HUF		292.050	300.310	306.800	315.355	394.710	484.390	521.560
Indoor unit with wired remote controller			FCQ35C.WR	FCQ50C.WR	FCQ60C.WR	FCQ71C.WR	FCQ100C.WR	FCQ125C.WR	FCQ140C.WR
Indoor unit			FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C	FCQ140C
Decoration panel			BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		287.920	296.180	302.670	311.225	390.580	480.260	517.430
Weight	kg		19			21	23		
Dimensions	height	mm	204			246			
	width	mm	840						
	depth	mm	840						

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020

Outdoor unit Non-Inverter

Heat pump Operation range unit REQ: Heating: -10 °C to +15 °C / Cooling: +10 °C to +46 °C

Type	230V / 1~ / 50Hz	–	REQ71BV3	REQ100BV3	–	–
Type	400V / 3N~ / 50Hz	–	REQ71BW1	REQ100BW1	REQ125BW1	–
Cooling capacity	nominal kW	–	7,1	10	12,5	–
Heating capacity	nominal kW	–	8,0	11,2	14,6	–
Price	HUF	–	249.865	313.290	338.365	–
Weight (BV3 / BW1)	kg	–	83	102 / 100	108	–
Dimensions	height	mm	770	1170		–
	width	mm	–	900		–
	depth	mm	–	320		–

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	–	565.220	708.000	822.755	–
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	–	561.090	703.870	818.625	–

Cassette units Mono Split Systems Cooling only

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller		FCQ35C.IR	FCQ50C.IR	FCQ60C.IR	FCQ71C.IR	FCQ100C.IR	FCQ125C.IR
Indoor unit		FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C
Decoration panel		BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wireless		BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F
Price	HUF	292.050	300.310	306.800	315.355	394.710	484.390
Indoor unit with wired remote controller		FCQ35C.WR	FCQ50C.WR	FCQ60C.WR	FCQ71C.WR	FCQ100C.WR	FCQ125C.WR
Indoor unit		FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C
Decoration panel		BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	287.920	296.180	302.670	311.225	390.580	480.260
Weight	kg	19			21	23	
Dimensions	height	204			246		
	width				840		
	depth				840		

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020

Outdoor unit


Cooling only Operation range unit RKS: -10 °C to +46 °C

Type	230V / 1~ / 50Hz	RKS35G	RKS50G	RKS60F	–
Cooling capacity	min./nominal/max. kW	*3,4/*	*5,0/*	0,9/5,7/6,0	–
Price	HUF	199.125	259.010	297.655	–
Weight	kg	34	47	–	–
Dimensions	height	550	735	–	–
	width	765	825	–	–
	depth	285	300	–	–

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	491.175	559.320	604.455	–
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	487.045	555.190	600.325	–

Cassette units Mono Split Systems Heat pump

Professional



DAIKIN

Air Conditioning

R-410A

Indoor unit with infrared remote controller			FCQ35C.IR	FCQ50C.IR	FCQ60C.IR	FCQ71C.IR	FCQ100C.IR	FCQ125C.IR	FCQ140C.IR
Indoor unit			FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C	FCQ140C
Decoration panel			BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wireless			BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F
Price	HUF		292.050	300.310	306.800	315.355	394.710	484.390	521.560
Indoor unit with wired remote controller			FCQ35C.WR	FCQ50C.WR	FCQ60C.WR	FCQ71C.WR	FCQ100C.WR	FCQ125C.WR	FCQ140C.WR
Indoor unit			FCQ35C	FCQ50C	FCQ60C	FCQ71C	FCQ100C	FCQ125C	FCQ140C
Decoration panel			BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		287.920	296.180	302.670	311.225	390.580	480.260	517.430
Weight	kg		19			21	23		
Dimensions	height	mm	204			246			
	width	mm				840			
	depth	mm				840			

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020

NEW

Outdoor unit **INVERTER**

Super Inverter

Heat pump

Operation range unit RXS-G: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Operation range unit RXS-F: Heating: -15 °C to +18 °C / Cooling: -10 °C to +46 °C

Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz	RXS35G	RXS50G	RXS60F	RZQ71DV	RZQ100DV	RZQ125DV	RZQ140DV
Type	400V / 3N~ / 50Hz					RZQ100BW1	RZQ125BW1	RZQ140BW1
Cooling capacity	min./nominal/max. kW	*3,4/*	*5,0/*	0,9/5,7/6,0	*7,1/*	*10,0/*	*12,5/*	*14,0/*
Heating capacity	min./nominal/max. kW	*4,2/*	*6,0/*	0,9/7,0/8,0	*8,0/*	*11,2/*	*14,0/*	*16,0/*
Price	230V / 1~ / 50Hz HUF	219.775	285.560	328.335	550.765	690.890	746.940	835.735
Price	400V / 3N~ / 50Hz HUF					699.150	743.105	831.605
Weight (DV1 / BW1)	kg	34	48		67	109 / 106		
Dimensions	height	mm	550	735	770	1345		
	width	mm	765	825		900		
	depth	mm	285	300		320		

Price for set of indoor unit with infrared remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	511.825	585.870	635.135	866.120	1.085.600	1.000.935	1.357.295
Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	507.695	581.740	631.005	861.990	1.081.470	996.805	1.353.165
Price for set of indoor unit with infrared remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF					1.093.860	1.227.495	1.353.165
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF					1.089.730	1.223.365	1.349.035

NEW

Outdoor unit **Comfort Inverter**

Comfort Inverter

Heat pump

Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz		RZQS71DV1	RZQS100DV1	RZQS125DV1	RZQS140DV1
Cooling capacity	min./nominal/max. kW		*7,1/*	*10,0/*	*12,5/*	*14,0/*
Heating capacity	min./nominal/max. kW		*8,0/*	*11,2/*	*14,0/*	*16,0/*
Price	HUF		468.460	587.345	635.725	699.150
Weight	kg			68	103	
Dimensions	height	mm		770	1170	
	width	mm			900	
	depth	mm			320	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF			783.815	982.055	1.120.115	1.220.710
Price for set of indoor unit with wired remote controller and outdoor unit	HUF			779.685	977.925	1.115.985	1.216.580

Cassette 600 x 600 units Mono Split Systems Cooling only

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller		FFQ25BV.IR	FFQ35BV.IR	FFQ50BV.IR	FFQ60BV.IR
Indoor unit		FFQ25BV	FFQ35BV	FFQ50BV	FFQ60BV
Decoration panel		BYFQ60B	BYFQ60B	BYFQ60B	BYFQ60B
Controller – wireless		BRC7E530	BRC7E530	BRC7E530	BRC7E530
Price	HUF	322.435	334.825	348.985	424.505
Indoor unit with wired remote controller		FFQ25BV.WR	FFQ35BV.WR	FFQ50BV.WR	FFQ60BV.WR
Indoor unit		FFQ25BV	FFQ35BV	FFQ50BV	FFQ60BV
Decoration panel		BYFQ60B	BYFQ60B	BYFQ60B	BYFQ60B
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	275.530	287.920	302.080	377.600
Weight	kg	17,5			
Dimensions	height	mm			
	width	mm			
	depth	mm			

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15 °C (by modified setting)

Type	230V / 1~ / 50Hz	RKS25G	RKS35G	RKS50G	RKS60F
Cooling capacity	min./nominal/max. kW	*2,5/*	*3,4/*	*4,7/*	*5,8/*
Price	HUF	170.215	199.125	259.010	297.655
Weight	kg	34		47	
Dimensions	height	mm		mm	
	width	mm		mm	
	depth	mm		mm	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	492.650	533.950	607.995	722.160
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	445.745	487.045	561.090	675.255

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Cassette 600 x 600 units Mono Split Systems Heat pump

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller			FFQ25BV.IR	FFQ35BV.IR	FFQ50BV.IR	FFQ60BV.IR
Indoor unit			FFQ25BV	FFQ35BV	FFQ50BV	FFQ60BV
Decoration panel			BYFQ60B	BYFQ60B	BYFQ60B	BYFQ60B
Controller			BRC7E530	BRC7E530	BRC7E530	BRC7E530
Price	HUF		322.435	334.825	348.985	424.505
Indoor unit with wired remote controller			FFQ25BV.WR	FFQ35BV.WR	FFQ50BV.WR	FFQ60BV.WR
Indoor unit			FFQ25BV	FFQ35BV	FFQ50BV	FFQ60BV
Decoration panel			BYFQ60B	BYFQ60B	BYFQ60B	BYFQ60B
Controller			BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		275.530	287.920	302.080	377.600
Weight		kg	17,5			
Dimensions	height	mm	286			
	width	mm	575			
	depth	mm	575			

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

Outdoor unit

Heat pump

Operation range unit RXS-G: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Operation range unit RXS-F: Heating: -15 °C to +18 °C / Cooling: -10 °C to +46 °C

Type	230V / 1~ / 50Hz	RXS25G	RXS35G	RXS50G	RXS60F
Cooling capacity	min./nominal/max. kW	*12,5/*	*13,4/*	*14,7/*	*15,8/*
Heating capacity	min./nominal/max. kW	*13,2/*	*14,0/*	*15,5/*	*17,0/*
Price	HUF	187.620	219.775	285.560	328.335
Weight	kg	34		48	
Dimensions	height	550		735	
	width	765		825	
	depth	285		300	

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	510.055	554.600	634.545	752.840
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	463.150	521.855	587.640	705.935


Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HU/F/UR árólívalmással visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Built-in units Mono Split Systems Cooling only

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with remote controller			FDKS25E	FDKS35E	FDKS50C	FDKS60C	FDBQ25B.WR
Controller			inclusive	inclusive	inclusive	inclusive	BRC1D52
Price			143.370	169.625	245.735	307.095	184.375
Weight			21		27	30	17
Dimensions	height	mm	200		200		230
	width	mm	700		900	1100	652
	depth	mm	620		620		502

Wiring adaptor for remote on/off			KRP4A53				-
Price			46.020				-
Interface adaptor F1/F2			DTA112B51				-
Price			51.330				-
Wired remote controller			BRC944				-
Price			28.615				-

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15 °C (by modified setting)

Type	230V / 1~ / 50Hz	RKS25G	RKS35G	RKS50G	RKS60F	Only Multi combinations
Cooling capacity	min./nominal/max. kW	1,3/2,4/3,0	1,4/3,4/3,8	1,7/5,0/5,3	1,7/6,0/6,5	
Price		170.215	199.125	259.010	297.655	
Weight		34		47		
Dimensions	height	550		735		
	width	765		825		
	depth	285		300		

Price for set of indoor unit with infrared remote controller and outdoor unit		313.585	368.750	504.745	604.750	Only Multi combinations
--	--	----------------	----------------	----------------	----------------	-------------------------


Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Built-in units Mono Split Systems Heat pump

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with remote controller			FDXS25E	FDXS35E	FDXS50C	FDXS60C	FDBQ25B.WR
Controller			inclusive	inclusive	inclusive	inclusive	BRC1D52
Price	HUF		160.480	190.275	274.645	343.970	184.375
Weight		kg	21		27	30	17
Dimensions	height	mm	200			200	230
	width	mm	700		900	1100	652
	depth	mm	620		620		502

Wiring adaptor for remote on/off			KRP4A53				-
Price	HUF		46.020				-
Interface adaptor F1/F2			DTA112B51				-
Price	HUF		51.330				-
Wired remote controller			BRC944				-
Price	HUF		28.615				-

Outdoor unit

Heat pump

Operation range unit RXS-G: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Operation range unit RXS-F: Heating: -15 °C to +18 °C / Cooling: -10 °C to +46 °C

Type	230V / 1~ / 50Hz		RXS25G	RXS35G	RXS50G	RXS60F	Only Multi combinations
Cooling capacity	min./nominal/max.	kW	1,3/2,4/3,0	1,4/3,4/3,8	1,7/5,0/5,3	1,7/6,0/6,5	
Heating capacity	min./nominal/max.	kW	1,3/3,2/4,5	1,4/4,0/5,0	1,7/5,8/6,0	1,7/7,0/8,0	
Price	HUF		187.620	219.775	285.560	328.335	
Weight		kg	34		48		
Dimensions	height	mm	550		735		
	width	mm	765		825		
	depth	mm	285		300		

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	348.100	410.050	560.205	672.305	Only Multi combinations
--	------------	----------------	----------------	----------------	----------------	--------------------------------

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HU/F/UR árfólvammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Built-in units Mono Split Systems Cooling only

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with wired remote controller		FBQ35C.WR	FBQ50C.WR	FBQ60C.WR	FBQ71C.WR	FBQ100C.WR	FBQ125C.WR	FDQ125B.WR
Indoor unit		FBQ35C	FBQ50C	FBQ60C	FBQ71C	FBQ100C	FBQ125C	FDQ125B
Air filter		inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	-
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	272.285	275.825	295.885	333.055	404.445	418.310	500.910
Weight	kg	25		34		45		59
Dimensions	height			300				350
	width	700		1000		1400		
	depth			700				662

Wiring adaptor for remote on/off		KRP4A53					
Price	HUF	46.020					
Interface adaptor F1/F2		DTA112B51					
Price	HUF	51.330					
Decoration panel		BYBS45D	BYBS71D	BYBS125D	-		
Dimensions decoration panel	mm	800 x 500	1100 x 500	1500 x 500	-		
Price decoration panel	HUF	60.180	79.650	99.710	-		

Outdoor unit Non-Inverter

Cooling only Operation range unit RR: Cooling: -15 °C to +46 °C

Type	230V / 1~ / 50Hz	-	RR71BV3	RR100BV3	-	-	
Type	400V / 3N~ / 50Hz	-	RR71BW1	RR100BW1	RR125BW1	RR125BW1	
Cooling capacity	nominal	kW	-	7,1	10	12,2	12,5
Price	HUF		354.000	447.515	487.045	487.045	
Weight (BV3 / BW1)	kg	-	83 / 81	102 / 99	- / 106		
Dimensions	height	mm	770		1170		
	width	mm	-		900		
	depth	mm	-		320		

Price for set of indoor unit with wired remote controller and outdoor unit	HUF	-	687.055	851.960	905.355	987.955
---	------------	---	----------------	----------------	----------------	----------------

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Built-in units Mono Split Systems Heat pump

Comfort



DAIKIN
Air Conditioning

R-410A

Indoor unit with wired remote controller			FBQ35C.WR	FBQ50C.WR	FBQ60C.WR	FBQ71C.WR	FBQ100C.WR	FBQ125C.WR	FBQ140C.WR
Indoor unit			FBQ35C	FBQ50C	FBQ60C	FBQ71C	FBQ100C	FBQ125C	FBQ140C
Air filter			inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	inclusive
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price			HUF 272.285	275.825	295.885	333.055	404.445	418.310	465.215
Weight			kg 25		34		45		
Dimensions			height mm			300			
			width mm		1000		1400		
			depth mm			700			

Wiring adaptor for remote on/off			KRP4A53						
Price			HUF 46.020						
Interface adaptor F1/F2			DTA112B51						
Price			HUF 51.330						
Decoration panel			BYBS45D		BYBS71D		BYBS125D		
Dimensions decoration panel			mm 800 x 500		1100 x 500		1500 x 500		
Price decoration panel			HUF 60.180		79.650		99.710		

Outdoor unit Non-Inverter

Heat pump Operation range unit REQ: Heating: -10 °C to +15 °C / Cooling: +10 °C to +46 °C

Type	230V / 1~ / 50Hz			REQ71BV3	REQ100BV3	–	–
Type	400V / 3N~ / 50Hz			REQ71BW1	REQ100BW1	REQ125BW1	–
Cooling capacity	nominal	kW	–	7,1	10,0	12,2	–
Heating capacity	nominal	kW	–	8,0	11,2	14,5	–
Price			HUF –	249.865	313.290	338.365	–
Weight (BV3 / BW1)			kg	83	102 / 100	108	–
Dimensions			height mm	770	1170		–
			width mm	–	900		–
			depth mm	–	320		–

Price for set of indoor unit with wired remote controller and outdoor unit			HUF –	582.920	717.735	756.675	–
---	--	--	--------------	----------------	----------------	----------------	----------

Built-in units Mono Split Systems Cooling only

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with wired remote controller		FBQ35C.WR	FBQ50C.WR	FBQ60C.WR	FBQ71C.WR	FBQ100C.WR	FBQ125C.WR	FDQ125B.WR
Indoor unit		FBQ35C	FBQ50C	FBQ60C	FBQ71C	FBQ100C	FBQ125C	FDQ125B
Air filter		inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	-
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	272.285	275.825	295.885	333.055	404.445	418.310	500.910
Weight	kg	25		34		45		59
Dimensions	height			300				350
	width	700		1000		1400		
	depth			700				662

Wiring adaptor for remote on/off		KRP4A53					
Price	HUF	46.020					
Interface adaptor F1/F2		DTA112B51					
Price	HUF	51.330					
Decoration panel		BYBS45D	BYBS71D	BYBS125D	-		
Dimensions decoration panel	mm	800 x 500	1100 x 500	1500 x 500	-		
Price decoration panel	HUF	60.180	79.650	99.710	-		

Outdoor unit

Cooling only Operation range unit RKS standard: -10 °C to +46 °C, possibility for tech. appl. down to -15 °C (by modified setting)

Type	230V / 1~ / 50Hz	RKS35G	RKS50G	RKS60F	-
Cooling capacity	min./nominal/max. kW	*/3,4/*	*/5,0/*	*/5,7/*	-
Price	HUF	199.125	259.010	297.655	-
Weight	kg	34	47		-
Dimensions	height	550	735		-
	width	765	825		-
	depth	285	300		-

Price for set of indoor unit with wired remote controller and outdoor unit	HUF	471.410	534.835	593.540	-
---	------------	----------------	----------------	----------------	---

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Built-in units Mono Split Systems Heat pump

Professional



DAIKIN

Air Conditioning

R-410A

Indoor unit with wired remote controller			FBQ35C.WR	FBQ50C.WR	FBQ60C.WR	FBQ71C.WR	FBQ100C.WR	FBQ125C.WR	FBQ140C.WR
Indoor unit			FBQ35C	FBQ50C	FBQ60C	FBQ71C	FBQ100C	FBQ125C	FBQ140C
Air filter			inclusive	inclusive	inclusive	inclusive	inclusive	inclusive	inclusive
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price			HUF 272.285	275.825	295.885	333.055	404.445	418.310	465.215
Weight			kg 30	31	41	51	52		
Dimensions									
height			mm 300						
width			mm 700		1000		1400		
depth			mm 800						

Wiring adaptor for remote on/off			KRP4A53						
Price			HUF 46.020						
Interface adaptor F1/F2			DTA112B51						
Price			HUF 51.330						
Decoration panel			BYBS45D		BYBS71D		BYBS125D		
Dimensions decoration panel			mm 800 x 500		1100 x 500		1500 x 500		
Price decoration panel			HUF 60.180		79.650		99.710		

NEW

Outdoor unit **INVERTER**

Super Inverter

Heat pump

Operation range unit RXS-G: Heating: -15 °C to +20 °C (+18 °C for size 50) / Cooling: -10 °C to +46 °C

Operation range unit RXS-F: Heating: -15 °C to +18 °C / Cooling: -10 °C to +46 °C

Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz	RXS35G	RXS50G	RXS60F	RZQ71DV	RZQ100DV	RZQ125DV	RZQ140DV
Type	400V / 3N~ / 50Hz	-				RZQ100BW1	RZQ125BW1	RZQ140BW1
Cooling capacity	min./nominal/max. kW	*/3,4/*	*/5,0/*	*/5,7/*	*/7,1/*	*/10,0/*	*/12,5/*	* /13,4/ *
Heating capacity	min./nominal/max. kW	*/4,0/*	*/6,0/*	*/7,0/*	*/8,0/*	*/11,2/*	*/14,0/*	* /15,5/ *
Price	230V / 1~ / 50Hz	HUF 219.775	285.560	328.335	550.765	690.890	746.940	835.735
Price	400V / 3N~ / 50Hz	-				699.150	743.105	831.605
Weight (DV1 / BW1)	kg	34	48	67	109 / 106			
Dimensions	height	mm 550	735	770	1345			
	width	mm 765	825			900		
	depth	mm 285	300			320		

Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	492.060	561.385	624.220	883.820	1.095.335	1.165.250	1.300.950
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF	-				1.103.595	1.161.415	1.296.820

NEW

Outdoor unit **Comfort Inverter**

Comfort Inverter

Heat pump

Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz		RZQS71DV1	RZQS100DV1	RZQS125DV1	RZQS140DV1
Cooling capacity	min./nominal/max. kW	-	*/7,1/*	*/10,0/*	*/12,5/*	*/14,0/*
Heating capacity	min./nominal/max. kW	-	*/8,0/*	*/11,2/*	*/14,0/*	*/16,0/*
Price	HUF	-	468.460	587.345	635.725	699.150
Weight	kg	-	68	103		
Dimensions	height	mm	770	1170		
	width	mm	-	900		
	depth	mm	-	320		

Price for set of indoor unit with wired remote controller and outdoor unit	HUF	-	801.515	991.790	1.054.035	1.164.365
---	------------	---	----------------	----------------	------------------	------------------

Built-in units Mono Split Systems Heat pump

Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with wired remote controller		FDQ125B.WR	FDQ200B.WR	FDQ250B.WR
Indoor unit		FDQ125B	FDQ200B	FDQ250B
Controller – wired		BRC1D52	BRC1D52	BRC1D52
Price	HUF	500.910	572.890	650.770
Weight	kg	59		93
Dimensions	height	mm		450
	width	mm	1400	
	depth	mm	662	900

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020
Interface adaptor F1/F2		DTA112B51
Price	HUF	51.330

NEW

Super Inverter

Outdoor unit **INVERTER**

Heat pump

Operation range unit RZQ125: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Operation range unit RZQ200/250: Heating: -15 °C to +15 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz	RZQ125DV	–	–
Type	400V / 3N~ / 50Hz	RZQ125BW1	RZQ200C	RZQ250C
Cooling capacity	min./nominal/max. kW	*12,5/*	*20,0/*	*24,1/*
Heating capacity	min./nominal/max. kW	*14,0/*	*23,0/*	*26,4/*
Price	230V / 1~ / 50Hz HUF	746.940	–	–
Price	400V / 3N~ / 50Hz HUF	743.105	1.315.110	1.533.410
Weight (DV1 / BW1)	kg	109 / 106	183	184
Dimensions	height	mm		1680
	width	mm	900	930
	depth	mm	320	765

Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	1.247.850	–	–
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF	1.244.015	1.888.000	2.184.180

NEW

Comfort Inverter

Outdoor unit

Heat pump

Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz	RZQS125DV1	–	–
Cooling capacity	min./nominal/max. kW	*12,5/*	–	–
Heating capacity	min./nominal/max. kW	*14,0/*	–	–
Price	HUF	635.725	–	–
Weight	kg	103	–	–
Dimensions	height	mm	1170	–
	width	mm	900	–
	depth	mm	320	–

Price for set of indoor unit with wired remote controller and outdoor unit	HUF	1.136.635	–	–
--	------------	------------------	---	---

Az árlístában szerenő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásán érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Built-in units Mono Split Systems Heat pump

Comfort



DAIKIN
Air Conditioning

NEW

R-410A

Indoor unit with wired remote controller			FDEQ71B.WR	FDEQ100B.WR	FDEQ125B.WR
Indoor unit			FDEQ71B	FDEQ100B	FDEQ125B
Controller – wired			BRC1D52	BRC1D52	BRC1D52
Price		HUF	323.025	378.780	391.760
Weight		kg	38,1		48,6
Dimensions	height	mm	279		
	width	mm	987		1387
	depth	mm	750		

Outdoor unit Non-Inverter

Heat pump Operation range unit REQ: Heating: -10 °C to +15 °C / Cooling: +10 °C to +46 °C

Type	230V / 1~ / 50Hz	REQ71BV3	REQ100BV3	–	
Type	400V / 3N~ / 50Hz	REQ71BW1	REQ100BW1	REQ125BW1	
Cooling capacity	nominal kW	7,1	9,8	12,5	
Heating capacity	nominal kW	8,0	11,2	14,5	
Price		HUF	249.865	313.290	338.365
Weight (BV3 / BW1)		kg	83	102 / 100	108
Dimensions	height	mm	770		
	width	mm	900		
	depth	mm	320		

Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz HUF	572.890	692.070	–
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50HzHUF	572.890	692.070	730.125

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/FUIR árfólvammal visszavonásig érvényesek.

Cassette units high efficiency Mono Split Systems Heat pump Professional



DAIKIN
Air Conditioning

R-410A

Indoor unit with infrared remote controller		FCQH71D.IR	FCQH100D.IR	FCQH125D.IR	FCQH140D.IR
Indoor unit		FCQH71D	FCQH100D	FCQH125D	FCQH140D
Decoration panel with grey louvers		BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wireless		BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F
Price	HUF	335.415	400.905	484.390	521.560
Indoor unit with wired remote controller		FDQH71D.WR	FDQH100D.WR	FDQH125D.WR	FDQH140D.WR
Indoor unit		FCQH71D	FCQH100D	FCQH125D	FCQH140D
Decoration panel with grey louvers		BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	331.285	396.775	480.260	517.430
Weight	kg	23		25	
Dimensions	height	mm	246	288	
	width	mm			840
	depth	mm			840

Wiring adaptor for remote on/off		KRP4A53
Price	HUF	46.020

NEW

Super Inverter

Outdoor unit **INVERTER**

Heat pump Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz	RZQ71DV	RZQ100DV	RZQ125DV	RZQ140DV
Type	400V / 3N~ / 50Hz	–	RZQ100BW1	RZQ125BW1	RZQ140BW1
Cooling capacity	min./nominal/max. kW	* /7,1/ *	* /10,0/ *	* /12,5/ *	* /13,4/ *
Heating capacity	min./nominal/max. kW	* /8,0/ *	* /11,2/ *	* /14,0/ *	* /15,5/ *
Price	230V / 1~ / 50Hz HUF	550.765	690.890	746.940	835.735
Price	400V / 3N~ / 50Hz HUF	–	699.150	743.105	831.605
Weight (DV1 / BW1)	kg	67		109 / 106	
Dimensions	height	mm	770	1345	
	width	mm			900
	depth	mm			320

Price for set of indoor unit with infrared remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	886.180	1.091.795	1.231.330	1.357.295
Price for set of indoor unit with wired remote controller and outdoor unit 230V / 1~ / 50Hz	HUF	882.050	1.087.665	1.227.200	1.353.165
Price for set of indoor unit with infrared remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF	–	1.100.055	1.227.495	1.353.165
Price for set of indoor unit with wired remote controller and outdoor unit 400V / 3N~ / 50Hz	HUF	–	1.095.925	1.223.365	1.349.035

NEW

Comfort Inverter

Outdoor unit

Heat pump Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz	RZQS71DV1	RZQS100DV1	RZQS125DV1	RZQS140DV1
Cooling capacity	min./nominal/max. kW	* /7,1/ *	* /10,0/ *	* /12,5/ *	* /14,0/ *
Heating capacity	min./nominal/max. kW	* /8,0/ *	* /11,2/ *	* /14,0/ *	* /16,0/ *
Price	HUF	468.460	587.345	635.725	699.150
Weight	kg	68		103	
Dimensions	height	mm	770	1170	
	width	mm			900
	depth	mm			320

Price for set of indoor unit with infrared remote controller and outdoor unit	HUF	803.875	988.250	1.120.115	1.220.710
Price for set of indoor unit with wired remote controller and outdoor unit	HUF	799.745	984.120	1.115.985	1.216.580

Az árlistában szereplő árak nettó Forint listaárak, az ÁFA-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Daikin HRV Heat Reclaim Ventilation



DAIKIN
Air Conditioning

Type	230V / 1~ / 50Hz		VAM150FA	VAM250FA	VAM350FA	VAM500FA	VAM650FA	VAM800FA
Price	HUF		301.195	327.745	397.070	427.455	555.485	620.090
Weight	kg		24		33		48	
Dimensions	height	mm	269		285		348	
	width	mm	760		812		988	
	depth	mm	509		800		852	

BRC301B61 Wired controller								
Price	HUF		46.610	46.610	46.610	46.610	46.610	46.610
KRP50-2 Wiring adapter for remote contact								
Price	HUF		52.510	52.510	52.510	52.510	52.510	52.510
KRP2A61 Wiring adapter for electrical appendices								
Price	HUF		94.990	94.990	94.990	94.990	94.990	94.990
BRP4A50								
Price	HUF		44.545	44.545	44.545	44.545	44.545	44.545

Type	230V / 1~ / 50Hz		VAM1000FA	VAM1500FA	VAM2000FA
Price	HUF		749.890	1.120.410	1.412.165
Weight	kg		61	132	158
Dimensions	height	mm	348	710	710
	width	mm	988	1498	1498
	depth	mm	1140	852	1140
BRC301B61 Wired controller					
Price	HUF		46.610	46.610	46.610
KRP50-2 Wiring adapter for remote contact					
Price	HUF		52.510	52.510	52.510
KRP2A61 Wiring adapter for electrical appendices					
Price	HUF		94.990	94.990	94.990
BRP4A50					
Price	HUF		44.545	44.545	44.545

Humidifying Air Purifier MCK75JVM-K



NEW

Type	230V / 1~ / 50Hz		MCK75J
Price	HUF		164.905
Weight	kg		11
Dimensions	height	mm	590
	width	mm	395
	depth	mm	268

The new Daikin Ururu air purifier offers:

- Humidification and air purification in one
- Deodorizing function thanks to the flash streamer technology
- Its silent operation makes it ideal for quiet nights

Air Purifier MC707VM-W/S



Type	230V / 1~ / 50Hz		MC707VM-W/S
Price	HUF		137.470
Weight	kg		8,7
Dimensions	height	mm	533
	width	mm	425
	depth	mm	213

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Wall mounted units Multi Split Systems Heat pump

Ururu Multi



DAIKIN
Air Conditioning

NEW

R-410A

Indoor unit with infrared remote controller		CTXU25G	CTXU35G	CTXU42G	CTXU50G
Controller – wireless		inclusive	inclusive	inclusive	inclusive
Price	HUF	107.380	127.145	152.515	183.785
Weight	kg	9		10	
Dimensions	height			295	
	width			800	
	depth			215	

* Preliminary data

NEW

Outdoor unit

Heat pump Operation range unit 2MXU40/50G: Heating: -15 °C to +15,5 °C / Cooling: +10 °C to +46 °C

Type	230V / 1~ / 50Hz	2MXU40G	2MXU50G	
Cooling capacity	nominal kW	4	5	–
Heating capacity	nominal kW	4,4	5,7	–
Price	HUF	495.600	605.930	–
Weight	kg	45	49	–
Dimensions	height		675	–
	width		765	–
	depth		285	–

Floor standing units Multi Split Systems Heat pump

Ururu Multi



NEW

R-410A

Indoor unit with infrared remote controller		CVXU25G*	CVXU35G*	CVXU50G*
Controller – wireless		inclusive	inclusive	inclusive
Price	HUF	132.750	157.235	227.445
Weight	kg		14	
Dimensions	height		600	
	width		700	
	depth		210	

* Preliminary data. Available from end of 2009.

NEW

Outdoor unit

Heat pump Operation range unit 2MXU40/50G: Heating: -15 °C to +15,5 °C / Cooling: +10 °C to +46 °C

Type	230V / 1~ / 50Hz	2MXU40G	2MXU50G	
Cooling capacity	nominal kW	4	5	–
Heating capacity	nominal kW	4,4	5,7	–
Price	HUF	495.600	605.930	–
Weight	kg	45	49	–
Dimensions	height		675	–
	width		765	–
	depth		285	–

Az árlistában szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUIF/FUIR árfolyammal visszavonásig érvényesek.

Combinations table Ururu Multi Split

Outdoor unit	Indoor unit			
	CTXU25G	CTXU35G	CTXU42G	CTXU50G
2MXU40G	•			
	••	•		
	•	•		
Outdoor unit	Indoor unit			
	CTXU25G	CTXU35G	CTXU42G	CTXU50G
2MXU50G	•			
	•	•		
	•		•	
	••			•
	••	••		
	•		••	
	•	•	•	
	•		•	•
	•	•	•	•

Outdoor unit	Indoor unit		
	CVXU25G*	CVXU35G*	CTXU50G*
2MXU40G	•		
	••	•	
	•	•	
Outdoor unit	Indoor unit		
	CVXU25G*	CVXU35G*	CTXU50G*
2MXU50G	•		
	•	•	
	•		•
	••		
	••	••	
	•	•	
	•		•
	•	•	•
	•	•	•

- = Single combination (one indoor unit)
- = Pair combination (two indoor units)

* Preliminary data

Combinations table Multi Split – Inverter – Outdoor unit – Cooling only

Indoor unit	Outdoor unit	FTK/XS							FLKS				FDKS			
		20	25	35	42	50	60	71	25	35	50	60	25	35	50	60
	2MKS40G	•	•	•					•	•			•	•		
	2MKS50G	•	•	•	•	•			•	•	•		•	•	•	
	3MKS50E	•	•	•	•				•	•			•	•		
	4MKS58E	•	•	•	•	•			•	•	•		•	•	•	
	4MKS75F	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	5MKS90E	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Indoor unit	Outdoor unit	FVXS			FCQ			FFQ				F(D)BQ				
		25	35	50	35	50	60	25	35	50	60	25	35	50	60	
	2MKS40G	•	•													
	2MKS50G	•	•	•				•	•	•						
	3MKS50E	•	•													
	4MKS58E	•	•	•	•	•		•	•	•		•	•	•		
	4MKS75F	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	5MKS90E	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Indoor unit	Outdoor unit	FHQ		
		35	50	60
	2MKS40G			
	2MKS50G			
	3MKS50E			
	4MKS58E	•	•	
	4MKS75F	•	•	•
	5MKS90E	•	•	•

• = Size of indoor units – available to match with outdoor units

Wall mounted units	FTK/XS	page 8
Floor standing units	FVXS	page 10
Flexi type units	FLKS	page 11
One way blow ceiling suspended units	FHQ	page 12
Cassette units	FCQ	page 18
Cassette 600 x 600 units	FFQ	page 22
Built-in units	FDKS / FDBQ	page 24
Built-in units	FBQ	page 27

Outdoor unit 

Cooling only
 Operation range unit 2MKS: Cooling: +10 °C to +46 °C
 Operation range unit 3MKS: Cooling: -10 °C to +46 °C
 Operation range unit 4MKS: Cooling: -10 °C to +46 °C
 Operation range unit 5MKS: Cooling: -10 °C to +46 °C

Type	230V / 1~ / 50Hz	2MKS40G	2MKS50G	3MKS50E	4MKS58E	4MKS75F	5MKS90E
Cooling capacity	nom. kW	4,0	5,0	5,0	5,8	7,5	9,0
Price	HUF	317.715	387.630	397.365	461.085	596.195	715.080
Weight	kg	38	42	49		57	69
Dimensions	height	550		735		770	
	width	765		936		900	
	depth	285		300		320	

Remark: nom. capacities depending on indoor-/outdoor-combination

Combinations table Multi Split – Inverter – Outdoor unit – Heat pump

Indoor unit	Outdoor unit	FTXS						FLXS				FDXS				
		20	25	35	42	50	60	71	25	35	50	60	25	35	50	60
	2MXS40G	●	●	●					●	●			●	●		
	2MXS50G	●	●	●	●	●			●	●	●		●	●	●	
	3MXS52E	●	●	●	●	●			●	●	●		●	●	●	●
	3MXS68G	●	●	●	●	●	●		●	●	●	●	●	●	●	●
	4MXS68F	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	4MXS80E	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	5MXS90E	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Indoor unit	Outdoor unit	FVXS			FCQ			FFQ				F(D)BQ			
		25	35	50	35	50	60	25	35	50	60	25	35	50	60
	2MXS40G	●	●												
	2MXS50G	●	●	●				●	●	●					
	3MXS52E	●	●	●	●	●		●	●	●		●	●	●	
	3MXS68G	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	4MXS68F	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	4MXS80E	●	●	●	●	●	●	●	●	●	●	●	●	●	●
	5MXS90E	●	●	●	●	●	●	●	●	●	●	●	●	●	●

Indoor unit	Outdoor unit	FHQ			FTXG / CTXG		
		35	50	60	25	35	50
	2MXS40G				●	●	
	2MXS50G				●	●	●
	3MXS52E	●	●		●	●	●
	3MXS68G	●	●	●	●	●	●
	4MXS68F	●	●	●	●	●	●
	4MXS80E	●	●	●	●	●	●
	5MXS90E	●	●	●	●	●	●

● = Size of indoor units – available to match with outdoor units

Wall mounted units Prestige	FTXG	page 4
Wall mounted units	FTXS	page 7
Floor standing units	FVXS	page 10
Flexi type units	FLXS	page 11
One way blow ceiling suspended units	FHQ	page 12
Cassette units	FCQ	page 18
Cassette 600 x 600 units	FFQ	page 20
Built-in units	FDXS / FDBQ	page 24
Built-in units	FBQ	page 27

Outdoor unit

Heat pump

Operation range unit 2MXS40/50: Cooling: +10 °C to +46 °C / Heating: -15 °C to +15,5 °C

Operation range unit 3MXS/4MXS: Cooling: -10 °C to +46 °C / Heating: -15 °C to +15,5 °C


Operation range unit 5MXS: Cooling: -10 °C to +46 °C / Heating: -15 °C to +15,5 °C

Type	230V / 1~ / 50Hz		2MXS40G	2MXS50G	3MXS52E	3MXS68G	4MXS68F	4MXS80E	5MXS90E
Cooling capacity	nom.	kW	4,0	5,0	5,2	6,8	6,8	8,0	9,0
Heating capacity	nom.	kW	4,4	5,7	6,8	8,6	8,6	9,6	10,4
Price		HUF	413.000	505.040	537.195	661.095	702.395	826.000	908.600
Weight		kg	38	42	49	58		72	73
Dimensions	height	mm	550			735		770	
	width	mm	765			936		900	
	depth	mm	285			300		320	

Remark: nom. capacities depending on indoor-/outdoor-combination

Connectable indoor units

	20 class	25 class	35 class	42 class	50 class	60 class	71 class
Wall mounted units	FTXS20	FTXS25	FTXS35	FTXS42	FTXS50	FTXS60	FTXS71
Floor standing units	-	FVXS25	FVXS35	-	FVXS50	-	-
Flexi type units	-	FLXS25	FLXS35	-	FLXS50	FLXS60	-
Built-in units – slim	-	FDXS25	FDXS35	-	FDXS50	FDXS60	-
Built-in units	-	FDBQ25B	FBQ35	-	FBQ50	FBQ60	-
Cassette units 600 x 600	-	FFQ25B	FFQ35	-	FFQ50	FFQ60	-
Cassette units	-	-	FCQ35	-	FCQ50	FCQ60	-
One way blow ceiling suspended cassette	-	-	FHQ35	-	FHQ50	FHQ60	-



BP-units


Type	230V / 1~ / 50Hz	BPMKS967B2	BPMKS967B3
No. of connectable indoors		1 to 2	1 to 3
Price	HUF	170.510	181.720

Outdoor unit

Heat pump Operation range unit RMXS: Heating: -15 °C to +20 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz	RMXS112EV	RMXS140EV	RMXS160EV
Cooling capacity	min./nominal/max. kW	* /11,2/ *	* /14,0/ *	* /15,5/ *
Heating capacity	min./nominal/max. kW	* /12,5/ *	* /16,0/ *	* /17,5/ *
No. of connectable indoors/BP-units		6/3	8/3	9/3
Price	HUF	1.385.025	1.539.015	1.718.375
Weight	kg		125	
Dimensions	height		1345	
	width		900	
	depth		320	

Commercial Multi Split Heat pump



DAIKIN
Air Conditioning

NEW

R-410A

Indoor unit with infrared remote controller			FMCQ50A.IR	FMCQ60A.IR	FMCQ71A.IR	FMCQ100A.IR	FMCQ125A.IR
Indoor unit			FMCQ50A	FMCQ60A	FMCQ71A	FMCQ100A	FMCQ125A
Decoration panel with grey louvers			BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller - wireless			BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F
Price	HUF		421.555	433.355	520.380	540.440	562.270
Indoor unit with infrared remote controller			FMCQ50A.WR	FMCQ60A.WR	FMCQ71A.WR	FMCQ100A.WR	FMCQ125A.WR
Indoor unit			FMCQ50A	FMCQ60A	FMCQ71A	FMCQ100A	FMCQ125A
Decoration panel with grey louvers			BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C	BYCQ140C
Controller - wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		417.425	429.225	516.250	536.310	558.140
Weight		kg	21		24		26
Dimensions	height	mm	204		246		288
	width	mm					840
	depth	mm					840

Indoor unit with infrared remote controller			FMCQ50A.IR-W	FMCQ60A.IR-W	FMCQ71A.IR-W	FMCQ100A.IR-W	FMCQ125A.IR-W
Indoor unit			FMCQ50A	FMCQ60A	FMCQ71A	FMCQ100A	FMCQ125A
Decoration panel with white louvers			BYCQ140CW	BYCQ140CW	BYCQ140CW	BYCQ140CW	BYCQ140CW
Controller - wireless			BRC7F532F	BRC7F532F	BRC7F532F	BRC7F532F	BR 7F532F
Price	HUF		429.815	441.615	528.640	548.700	570.530
Indoor unit with infrared remote controller			FMCQ50A.WR-W	FMCQ60A.WR-W	FMCQ71A.WR-W	FMCQ100A.WR-W	FMCQ125A.WR-W
Indoor unit			FMCQ50A	FMCQ60A	FMCQ71A	FMCQ100A	FMCQ125A
Decoration panel with white louvers			BYCQ140CW	BYCQ140CW	BYCQ140CW	BYCQ140CW	BYCQ140CW
Controller - wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		425.685	437.485	524.510	544.570	566.400
Weight		kg	21		24		26
Dimensions	height	mm	204		246		288
	width	mm					840
	depth	mm					840

Indoor unit with infrared remote controller			FMDQ50B.IR	FMDQ60B.IR	FMDQ71B.IR	FMDQ100B.IR	FMDQ125B.IR
Indoor unit			FMDQ50B	FMDQ60B	FMDQ71B	FMDQ100B	FMDQ125B
Controller - wireless			BRC4C65	BRC4C65	BRC4C65	BRC4C65	BRC4C65
Price	HUF		362.850	369.045	451.350	465.510	473.180
Indoor unit with infrared remote controller			FMDQ50B.WR	FMDQ60B.WR	FMDQ71B.WR	FMDQ100B.WR	FMDQ125B.WR
Indoor unit			FMDQ50B	FMDQ60B	FMDQ71B	FMDQ100B	FMDQ125B
Controller - wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF		362.850	369.045	451.350	465.510	473.180
Weight		kg	31	41	51	51	52
Dimensions	height	mm					300
	width	mm	700	1,000	1,400		
	depth	mm					700

Decoration panel		BYBS45D	BYBS71D	BYBS125D
Price decoration panel	HUF	60.180	79.650	99.710

NEW

Outdoor unit INVERTER

Heat pump Operation range unit CMSQ-A: Heating: -20 °C to +15.5 °C / Cooling: -5 °C to +43 °C

Type	400V / 3N~/50Hz		CMSQ200A	CMSQ250A	
Cooling capacity	nominal	kW	20	25	-
Heating capacity	nominal	kW	22.4	28	-
Price	HUF		2.053.495	2.246.130	-
Weight		kg	159	187	-
Dimensions	height	mm	1,680	1,680	-
	width	mm	635	930	-
	depth	mm	765	765	-

Az árlistában szereplő árak nettó Forint listaárak az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 2015. 01.01-ig érvényesek.

Outdoor units Twin/Triple/Double-Twin Cooling only / Heat pump

DAIKIN
Air Conditioning

R-410A

Outdoor unit Non-Inverter

Cooling only Operation range unit RR: Cooling: -15 °C to +46 °C

Type	230V / 1~ / 50Hz	RR71BV3	RR100BV3	–	
Type	400V / 3N~ / 50Hz	RR71BW1	RR100BW1	RR125BW1	
Cooling capacity	nominal	kW	7,1	10	12,5
Price	HUF	354.000	447.515	487.045	
Weight (BV3 / BW1)	kg	83 / 81	102 / 99	106	
Dimensions	height	mm	770		
	width	mm	900		
	depth	mm	320		

NEW

Super Inverter

Outdoor unit Inverter

Heat pump Operation range unit RZQ: Heating: -20 °C to +15,5 °C / Cooling: -15 °C to +50 °C

Type	230V / 1~ / 50Hz	RZQ71DV	RZQ100DV	RZQ125DV	RZQ140DV	
Type	400V / 3N~ / 50Hz	–	RZQ100BW1	RZQ125BW1	RZQ140BW1	
Cooling capacity	min./nominal/max.	kW	* /7,1/ *	* /10,0/ *	* /12,5/ *	* /13,4/ *
Heating capacity	min./nominal/max.	kW	* /8,0/ *	* /11,2/ *	* /14,0/ *	* /15,5/ *
Price	230V / 1~ / 50Hz	HUF	550.765	690.890	746.940	835.735
Price	400V / 3N~ / 50Hz	HUF	–	699.150	743.105	831.605
Weight (DV1 / BW1)	kg	67	109 / 106			
Dimensions	height	mm	770			
	width	mm	900			
	depth	mm	320			

Super Inverter

Outdoor unit Inverter

Heat pump Operation range unit RZQ: Heating: -15 °C to +15 °C / Cooling: -5 °C to +46 °C

Type	400V / 3N~ / 50Hz	RZQ200C	RZQ250C	
Cooling capacity	nominal	kW	20	24,1
Heating capacity	nominal	kW	23	26,4
Price	HUF	1.315.110	1.533.410	
Weight	kg	183	184	
Dimensions	height	mm	1680	
	width	mm	930	
	depth	mm	765	

NEW

Comfort Inverter

Outdoor unit

Heat pump Operation range unit RZQS: Heating: -15 °C to +15,5 °C / Cooling: -5 °C to +46 °C

Type	230V / 1~ / 50Hz	RZQS71DV1	RZQS100DV1	RZQS125DV1	RZQS140DV1	
Cooling capacity	min./nominal/max.	kW	* /7,1/ *	* /10,0/ *	* /12,5/ *	* /14,0/ *
Heating capacity	min./nominal/max.	kW	* /8,0/ *	* /11,2/ *	* /14,0/ *	* /16,0/ *
Price	HUF	468.460	587.345	635.725	699.150	
Weight	kg	68	103			
Dimensions	height	mm	770			
	width	mm	900			
	depth	mm	320			

Az árlistánban szereplő árak nettó Forint listaárak, az ÁFÁ-t nem tartalmazzák. Az árak 2009. 04. 01-től 295 HUF/EUR árfolyammal visszavonásig érvényesek.

KLÍMATECHNIKA

Y Klimatechnika
Tel.: 20/434-44-44, 76/325-111
www.yklima.hu; e-mail: yklima@yklima.hu

Combination table/connectable indoors Twin/Triple/Double-Twin Cooling only / Heat pump

Applicable indoor units

Wall mounted units	FAQ	page 6
One way blow ceiling suspended units	FHQ	page 12
Four way blow ceiling suspended cassette	FUQ not available for RZQS combination	page 16
Cassette units	FCQ	page 18
Cassette 600 x 600 units	FFQ	page 22
Built-in units	FBQ	page 27
Built-in units	FDQ	page 26
Cassette units high efficiency	FCQH only for combination with RZQ/RZQS 71-140	page 32

Combination table

Outdoor unit	Twin (2 indoor units)	Triple (3 indoor units)	Double-Twin (4 indoor units)
RR71B / RZQ71D / RZQS71D Capacity: 7,1 kW	35 – 35 KHRQ22M20T		
RR100B / RZQ100B-D / RZQS100D Capacity: 10 kW	50 – 50 KHRQ22M20T	35 – 35 – 35 KHRQ127H7	
	35 – 71 *1 KHRQ22M20T		
	50 – 60 *1 KHRQ22M20T		
RR125B / RZQ125B-D / RZQS125D Capacity: 12,5 kW	60 – 60 KHRQ22M20T	50 – 50 – 50 KHRQ127H7	35 – 35 – 35 – 35 *2 3 x KHRQ22M20T
	50 – 71 *1 KHRQ22M20T		
RZQ140B-D / RZQS140D Capacity: 14 kW	71 – 71 KHRQ22M20T	50 – 50 – 50 KHRQ127H7	35 – 35 – 35 – 35 3 x KHRQ22M20T
RZQ200C Capacity: 20 kW	100 – 100 KHRQ22M20T	60 – 60 – 60 KHRQ250H7	50 – 50 – 50 – 50 3 x KHRQ22M20T
		71 – 71 – 71 KHRQ250H7	
RZQ250C Capacity: 25 kW	125 – 125 KHRQ22M20T		60 – 60 – 60 – 60 3 x KHRQ22M20T

*1) only for RR-units

*2) only for RZQ- and RZQS-units

Refnet joints

Refnet	HUF	KHRQ22M20T	KHRQ127H	KHRQ250H7
Price		30.090	44.250	63.720

Mono Split Systems Cooling only

R-407C

Built-in units

Indoor unit with wired remote controller		FHYBP71B.WR*	FHYBP100B.WR*	FHYBP125B.WR*	FDYP125B.WR	FDYP200B.WR	FDYP250B.WR
Indoor unit		FHYBP71B	FHYBP100B	FHYBP125B	FDYP125B	FDYP200B	FDYP250B
Filter		inclusive	inclusive	inclusive	inclusive	inclusive	inclusive
Controller – wired		BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price	HUF	461.675	543.980	563.450	471.410	572.890	650.770
Weight	kg	41	51	52	59	87	92
Dimensions	height	300		350		450	
	width	1000		1400			
	depth	800		662		900	

*Please check availability

Wiring adaptor for remote on/off		KRP4A53				
Price	HUF	46.020				
Interface adaptor F1/F2		DTA102A52				
Price	HUF	42.775				

Indoor unit with wired remote controller		FHYP71B.WR	FHYP100B.WR	FHYP125B.WR	–	–	–
Indoor unit		FHYP71B	FHYP100B	FHYP125B	–	–	–
Controller – wired		BRC1D52	BRC1D52	BRC1D52	–	–	–
Price	HUF	437.190	488.815	533.360	–	–	–
Weight	kg	27	32	35	–	–	–
Dimensions	height	195		–		–	
	width	1160		1400		1590	
	depth	680		–		–	

Wiring adaptor for remote on/off		KRP4A53				
Price	HUF	46.020				
Interface adaptor F1/F2		DTA102A52				
Price	HUF	42.775				

Outdoor unit Non-Inverter

Cooling only Operation range unit RP: Cooling: -5 °C to +46 °C

Type	400V / 3N~ / 50Hz	–				RP200B	RP250B	
Cooling capacity	nominal	kW	7,1	10,0	12,5	12,5	20 25	
Price	HUF						996.215	1.161.710
Weight	kg						194	206
Dimensions	height	Only for Twin/Triple application with RP200/250BW					1220	
	width						1290	
	depth						700	

Price for set of indoor unit with wired remote controller and outdoor unit	HUF	Only for Twin/Triple application with RP200/250BW				1.569.105	1.812.480
--	------------	---	--	--	--	------------------	------------------

Combination table

Outdoor unit	Twin (2 indoor units)	Triple (3 indoor units)
RP200B Capacity: 20 kW	100 – 100 KHRQ22M64T	71 – 71 – 71 KHRP127H7
	71 – 125 KHRQ22M64T	
RP250B Capacity: 25 kW	125 – 125 KHRQ22M64T	71 – 71 – 100 KHRP127H7

Refnet joints

Refnet		–	KHRQ22M64T	KHRQ22M20T	KHRP127HB
Price	HUF	–	48.970	30.090	37.465

Mono Split Systems Heat pump

R-407C

Built-in units

Indoor unit with wired remote controller			FHYBP71B.WR*	FHYBP100B.WR*	FHYBP125B.WR*	FDYP125B.WR	FDYP200B.WR	FDYP250B.WR
Indoor unit			FHYBP71B	FHYBP100B	FHYBP125B	FDYP125B	FDYP200B	FDYP250B
Filter			inclusive	inclusive	inclusive	inclusive	inclusive	inclusive
Controller – wired			BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52	BRC1D52
Price			HUF 461.675	543.980	563.450	471.410	572.890	650.770
Weight			kg 41	51	52	59	87	92
Dimensions			height	mm 300			mm 450	
			width	mm 1000		mm 1400		
			depth	mm 800			mm 662	

*Please check availability

Wiring adaptor for remote on/off			KRP4A53					
Price			HUF 46.020					
Interface adaptor F1/F2			DTA102A52					
Price			HUF 42.775					

Indoor unit with wired remote controller			FHYP71B.WR	FHYP100B.WR	FHYP125B.WR	–	–	–	
Indoor unit			FHYP71B	FHYP100B	FHYP125B	–	–	–	
Controller – wired			BRC1D52	BRC1D52	BRC1D52	–	–	–	
Price			HUF 437.190	488.815	533.360	–	–	–	
Weight			kg 27	32	35	–	–	–	
Dimensions			height	mm 195			–	–	–
			width	mm 1160		mm 1400		mm 1590	
			depth	mm 680			–		–

Wiring adaptor for remote on/off			KRP4A53					
Price			HUF 46.020					
Interface adaptor F1/F2			DTA102A52					
Price			HUF 42.775					

Outdoor unit Non-Inverter

Heat Pump Operation range unit RYP: Heating: -10 °C to +15 °C / Cooling: -5 °C to +46 °C

Type			400V / 3N~ / 50Hz				–		RYP200B	RYP250B			
Cooling capacity			nominal	kW		7,1	10,0	12,5	12,5	19,5	25		
Heating capacity			nominal	kW		8,0	11,2	14,0	14,0	23,1	27		
Price			HUF						1.095.925	1.277.940			
Weight			kg		Only for Twin/Triple application with RYP200/250BW								
Dimensions			height	mm							196	210	
			width	mm							1220	1440	
			depth	mm							1290		
									700				

Price for set of indoor unit with wired remote controller and outdoor unit			HUF						Only for Twin/Triple application with RYP200/250BW		1.668.815	1.928.710
--	--	--	------------	--	--	--	--	--	--	--	-----------	-----------

Combination table

Outdoor unit	Twin (2 indoor units)	Triple (3 indoor units)
RYP200B Capacity: 20 kW	100 – 100 KHRQ22M64T	71 – 71 – 71 KHRP127H7
	71 – 125 KHRQ22M64T	
RYP250B Capacity: 25 kW	125 – 125 KHRQ22M64T	71 – 71 – 100 KHRP127H7

Refnet joints

Refnet			–		KHRQ22M64T		KHRP127HB	
Price			HUF		48.970		37.465	

DAIKIN

Air Conditioning



Daikin's unique position as a manufacturer of air conditioning equipment, compressors and refrigerants has led to its close involvement in environmental issues. For several years Daikin has had the intention to become a leader in the provision of environmental friendly products. This challenge demands the eco design and development of a wide range of products and an energy management system; which involves energy conservation and reduction of waste.



All Daikin units comply with the European Union regulations concerning the safety of appliances.



Daikin Europe N.V. participates in the Eurovent Certification Programme. The products comply with those listed in the Eurovent directory.



The ISO 14001 standard guarantees an effective environmental management system and contributes to the protection of human health and the environment against any possible repercussions of Daikin activities, products and services as well as the retention and enhancement of environmental quality.



The quality management system of Daikin Europe N.V. is recognised by the LRQA in conformity with the ISO 9001 standard. ISO 9001 relates to quality assurance pertaining to the planning, development and construction of products as well as the services offered in connection with these products.